Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(collection\$1 and domain\$1 and (protect\$4 secur\$4) and object\$1 and organization\$1 and manag\$6 and global\$3 and (identification\$1 id identit\$3 identifier\$1) and external\$2 and storage\$1).CLM.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/09/12 14:04
L5	0	(collection\$1 and domain\$1 and (protect\$4 secur\$4) and object\$1 and administ\$7 and user\$2 and manag\$8 and global\$3 and (identification\$1 id identit\$3 identifier\$1) and external\$2 and storage\$1).CLM.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/09/12 14:05
L6	0	(collection\$1 and domain\$1 and object\$1 and administ\$7 and user\$2 and manag\$8 and global\$3 and (identification\$1 id identit\$3 identifier\$1) and external\$2 and storage\$1).CLM.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/09/12 14:05
L7	0	(collection\$1 and domain\$1 and object\$1 and administ\$7 and global\$3 and (identification\$1 id identit\$3 identifier\$1) and external\$2 and (memor\$4 eeprom eprom ram rom storage\$1)).CLM.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/09/12 14:06
L8	0	(collection\$1 and domain\$1 and object\$1 and administ\$7 and global\$3 and (identification\$1 id identit\$3 identifier\$1) and (external\$2 outside another\$1) and (memor\$4 eeprom eprom ram rom storage\$1)).CLM.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/09/12 14:06
L9	0	(collection\$1 and domain\$1 and object\$1 and administ\$7 and global\$3 and (identification\$1 id identit\$3 identifier\$1) and (memor\$4 eeprom eprom ram rom storage\$1)).CLM.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L10	1	(collection\$1 and domain\$1 and object\$1 and (manage\$8 administ\$7) and access\$4 and request\$4 and global\$3 and (identification\$1 id identit\$3 identifier\$1) and (memor\$4 eeprom eprom ram rom storage\$1)). CLM.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L11	354	(resolv\$3 convert\$4 conversion\$1 translat\$4 transform\$8) near4 (userid (user\$2 near3 (id identifier\$1 identification\$1)) username\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07

			-			•
L12	3066	guid uuid ((universal\$2 global\$2 system-wide\$1 network-wide\$1 (system near2 wide) (network near2 wide)) near3 (unique\$2) near3 (id identifier\$1 identification\$1 identit\$3 userid\$1))	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L13	14	L11 and L12	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L14	1	L13 and (name near2 server\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L15	0	L13 and (name near2 resolv\$4)	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L16	1548	(user\$2 client\$1 person\$1) near7 (name near2 server\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L17	72	L16 and L12	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L18	1155	(user\$2 client\$1 person\$1) near4 (name near2 server\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L19	123	(chang\$3 modif\$9 resolv\$3 convert\$4 conversion\$1 translat\$4 transform\$8) near6 L12	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L20	7	L19 and (name near2 resolv\$4)	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L21	21	L19 and (name near2 server\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L22	226014	(access\$3 control\$1 allow\$3 store\$3 collection\$1 secure\$5) near3 (object\$1 document\$2 file\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L23	222	((resource\$1 object\$1 access server\$1) near2 manag\$6) near5 (request\$4 ask\$3 determin\$6 deliver\$3 transmit\$5 transmission\$1 send\$3 repson\$4) near5 (userid (user\$2 near3 (information\$1 data name\$1 id identifier\$1 identification\$1)) username\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L24	2	L23 and L22 and L12	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L25	363	((resource\$1 object\$1 access server\$1) near2 manag\$6) near5 (request\$4 ask\$3 determin\$6 deliver\$3 transmit\$5 transmission\$1 send\$3 repson\$4) near5 (userid ((user\$2 client\$2 person\$2 requestor\$1) near3 (information\$1 data name\$1 id identifier\$1 identification\$1)) username\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07

	•					
L26	6	L25 and L22 and L12	USPAT; IBM_TDB	OR ·	OFF	2007/09/12 14:07
L27	20	L21 and user\$2	USPAT; IBM_TDB	OR .	OFF	2007/09/12 14:07
L28	285	(object\$1 document\$1 file\$1) near8 (correspond\$3 match\$3 compar\$6 accord\$5) near8 (userid (user\$2 near3 (id identifier\$1 identification\$1)) username\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L29	471	(object\$1 document\$1 file\$1) near8 (verif\$9 check\$3 authori\$9 authentic\$8) near8 (userid (user\$2 near3 (id identifier\$1 identification\$1)) username\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L30	46	L29 and L12	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L31	45	((resource\$1 object\$1 access server\$1) near2 manag\$6) and L30	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L32	5	L12 near8 (correspond\$3 match\$3 compar\$6 accord\$5) near8 (userid (user\$2 near3 (id identifier\$1 identification\$1)) username\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L33	35518	((resource\$1 object\$1 access server\$1) near2 manag\$6) L30	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L34	60	L18 and L12	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L35	146	L12 and (name near2 resolv\$4)	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L36	14	L13 and (userid (user\$2 near3 (id identifier\$1 identification\$1)) username\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L37	382	L12 and (name near2 server\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L38	179	L37 and (userid (user\$2 near3 (id identifier\$1 identification\$1)) username\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L39	123	L38 and manager\$1	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L40	46	L38 and (resource\$1 near3 manager\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L41	396	(user\$2 client\$1 person\$2) near4 L12	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L42	42	L41 and (resource\$1 near3 manager\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L43	225	L12 and (resource\$1 near3 manager\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07

L44	28	L42 and (userid (user\$2 near3 (information\$1 data name\$1 id identifier\$1 identification\$1)) username\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L45	16	L44 and ((external\$1 outside\$1 channel\$1 link\$1 path\$1) near5 (network\$1 organization\$1 system\$1 domain\$1 administrative\$2))	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L46	. 12	L44 not L45	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L47	1700	(chang\$3 modif\$9 resolv\$3 convert\$4 conversion\$1 translat\$4 transform\$8) near6 (userid (user\$2 near3 (id identifier\$1 identification\$1)) username\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L48	. 3	L19 and L47	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L49	72	L12 and L47	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L50	30589	(request\$4 ask\$3 determin\$6 (resource\$1 near2 manag\$6) send\$3 repson\$4) near5 (userid (user\$2 near3 (information\$1 data name\$1 id identifier\$1 identification\$1)) username\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L51	21	L19 and L50	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L52	13	L51 and (userid (user\$2 near3 (id identifier\$1 identification\$1)) username\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L53	56	L49 and L50	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L54	180	(object\$1 document\$1 file\$1) near6 (correspond\$3 match\$3 compar\$6 accord\$5) near4 (userid (user\$2 near3 (id identifier\$1 identification\$1)) username\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L55	4	L54 and L12	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L56	9	L28 and L12	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L57	5	L56 not L55	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
L58	11	L12 near8 (verif\$9 check\$3 authori\$9 authentic\$8) near8 (userid (user\$2 near3 (id identifier\$1 identification\$1)) username\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07

L59	45	L31 and ((request\$4 ask\$3 determin\$6 deliver\$3 transmit\$5 transmission\$1 send\$3 repson\$4) near5 (userid ((user\$2 client\$2 person\$2 requestor\$1) near3 (information\$1	USPAT; IBM_TDB	OR	OFF	2007/09/12 14:07
		data name\$1 id identifier\$1 identification\$1)) username\$1))				

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	145377	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom store\$1 storing) near9 (external\$1 over via communicat\$4 outside\$1) near9 (network\$1 internet\$1 channel\$1 domain system\$1 station\$1 computer\$1 lan wan)	USPAT; IBM_TDB	OR	OFF	2007/09/12 13:28
L2	127985	(administrat\$4 manag\$6) near4 (network\$1 domain system\$1 station\$1 computer\$1 server\$1 node\$1 host\$3 proxy)	USPAT; IBM_TDB	OR	OFF	2007/09/12 13:28
L3	76	((second\$3 another multiple\$1 plural\$8 different\$1) near3 (organization\$1)) near7 L2	USPAT; IBM_TDB	OR	OFF	2007/09/12 13:28
L4	72669	(universal\$2 global\$1 unique\$2 system-wide network-wide (system adj2 wide) (network adj2 wide)) near5 (username\$1 id identif\$4 identit\$3 identification\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 13:28
L5	7269	((713/150) or (713/153) or (713/155) or (713/167) or (713/164) or (713/169) or (713/182) or (705/51) or (705/52) or (705/56) or (705/67) or (705/78) or (705/1) or (705/18) or (705/44) or (455/410) or (455/411) or (455/432.3) or (455/435.2) or (455/463)).CCLS.	USPAT; IBM_TDB	OR	OFF	2007/09/12 13:28
L6	20461	((726/2) or (726/3) or (726/4) or (726/5) or (726/8) or (726/18) or (726/27) or (726/30) or (380/202) or (380/241) or (709/200) or (709/201) or (709/223) or (709/225) or (709/229) or (709/232) or (707/1) or (707/9) or (707/10) or (707/103x) or (707/200) or (705/58)). CCLS.	USPAT; IBM_TDB	OR	OFF	2007/09/12 13:28
L7 .	9039	(L6 L5) and L4	USPAT; IBM_TDB	OR	OFF	2007/09/12 13:28
L8	23001	(second\$3 another multiple\$1 plural\$8 different\$1) near7 L2	USPAT; IBM_TDB	OR	OFF	2007/09/12 13:28
·L9	2027	L7 and L8	USPAT; IBM_TDB	OR	OFF	2007/09/12 13:28

	· ·			1	Т	1
L10	145646	(memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom store\$1 storing) near9 (external\$1 over via communicat\$4 outside\$1) near9 (L2 (network\$1 internet\$1 channel\$1 domain system\$1 station\$1 computer\$1 lan wan))	USPAT; IBM_TDB	OR	OFF	2007/09/12 13:28
L11	72573	(universal\$2 global\$1 unique\$2) near5 (username\$1 id identif\$4 identit\$3 identification\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 13:28
L12	14618	L4 and L11 and L1 and L2	USPAT; IBM_TDB	OR	OFF	2007/09/12 13:28
L13	672	((second\$3 another multiple\$1 plural\$8 different\$1) near3 (organization\$1)) and L12	USPAT; IBM_TDB	OR	OFF	2007/09/12 13:28
L14	8177	(user\$2 client\$2 person\$2) near5 L4	USPAT; IBM_TDB	OR	OFF,	2007/09/12 13:28
L15	4256	L10 and L14	USPAT; IBM_TDB	OR	OFF	2007/09/12 13:28
L16	1063	(user\$2 client\$2 person\$2) near6 (request\$3 acquir\$3 permission\$1 permit\$4) near8 ((access\$3 allow\$3 protect\$4 secure\$4 safe\$2) near4 object\$4)	USPAT; IBM_TDB	OR	OFF	2007/09/12 13:28
L17	74	L16 and L15	USPAT; IBM_TDB	OR	OFF	2007/09/12 13:28
L18	13	((second\$3 another multiple\$1 plural\$8 different\$1) near3 (organization\$1)) and L17	USPAT; IBM_TDB	OR	OFF	2007/09/12 13:28
L19	9778	L10 and ((second\$3 another multiple\$1 plural\$8 different\$1) near5 L2)	USPAT; IBM_TDB	OR	OFF	2007/09/12 13:28
L20	162	L19 and ((request\$3 acquir\$3 permission\$1 permit\$4 access\$3 allow\$3) near5 (( protect\$4 secure\$4 safe\$2) near4 object\$4))	USPAT; IBM_TDB	OR	OFF	2007/09/12 13:28
L21	129	L20 and L4	USPAT; IBM_TDB	OR	OFF	2007/09/12 13:28
L22	129	L21 and L10	USPAT; IBM_TDB	OR	OFF	2007/09/12 13:28
L23	444	L9 and ((memor\$3 EEPROM EPROM dram ram nonvolatile non-volatile database\$2 storage\$2 rom store\$1 storing) near9 (external\$1 over via communicat\$4 outside\$1) near9 L2)	USPAT; IBM_TDB	OR	OFF	2007/09/12 13:28
L24	1284	L9 and L10	USPAT; IBM_TDB	OR	OFF	2007/09/12 13:28

L25	3051	L6 and L11 and L1 and L2	USPAT; IBM_TDB	OR	OFF	2007/09/12 13:28
L26	6	L25 and L3	USPAT; IBM_TDB	OR	OFF	2007/09/12 13:28
L27	210	L23 and (organization\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/12 13:28
L28	10	L27 and L16	USPAT; IBM_TDB	OR	OFF	2007/09/12 13:28
L29	4	L14 and L28	USPAT; IBM_TDB	OR	OFF	2007/09/12 13:28
L30	9778	L19 and L10	USPAT; IBM_TDB	OR	OFF	2007/09/12 13:28
L31	83	L22 and L14	USPAT; IBM_TDB	OR	OFF	2007/09/12 13:28
L32	38696	(user\$2 client\$2 person\$2) near5 (verif\$9 authori\$8 authentic\$6 certif\$8)	USPAT; IBM_TDB	OR	OFF	2007/09/12 13:28